

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'STNGUIDE' ENTERED AT 10:26:12 ON 05 FEB 2004

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE

AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: Jan 30, 2004 (20040130/UP).

=> file ca

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.06

0.27

FILE 'CA' ENTERED AT 10:26:52 ON 05 FEB 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 29 Jan 2004 VOL 140 ISS 6

FILE LAST UPDATED: 29 Jan 2004 (20040129/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s daptomycin

L1 217 DAPTOMYCIN

=> d l1

L1 ANSWER 1 OF 217 CA COPYRIGHT 2004 ACS on STN

AN 140:73794 CA

TI In vitro activities of **daptomycin**, vancomycin, quinupristin-dalfopristin, linezolid, and five other antimicrobials against 307 gram-positive anaerobic and 31 Corynebacterium clinical isolates. [Erratum to document cited in CA138:201573]

AU Goldstein, Ellie J. C.; Citron, Diane M.; Merriam, C. Vreni; Warren, Yumi A.; Tyrrell, Kerrin L.; Fernandez, Helen T.

CS R. M. Alden Research Laboratory, Santa Monica, CA, 90404, USA

SO Antimicrobial Agents and Chemotherapy (2003), 47(4), 1486

CODEN: AMACCQ; ISSN: 0066-4804

PB American Society for Microbiology

DT Journal

LA English

=> s l1 and crystalline

62287 CRYSTALLINE

L2 0 L1 AND CRYSTALLINE

=> s l1 and purification

290320 PURIFICATION

=> d 13 an ab

L3 ANSWER 1 OF 5 CA COPYRIGHT 2004 ACS on STN

AN 137:252960 CA

AB The present invention provides a rapid and inexpensive method for extractively isolating acidic lipopeptide antibiotics in high yield and purity. Biochem. synthesis of laspartomycin is disclosed comprising culture of *Streptomyces viridochromogenes*, extraction of laspartomycin, contacting an aqueous solution of this antibiotic and a calcium chloride with an butanol, thereby extracting the lipopeptide antibiotic into the organic solvent; and contacting the organic solvent extract of the lipopeptide antibiotic with acid solution to isolate laspartomycin (yield = 79%).

=> d 13 2-4 an ab

L3 ANSWER 2 OF 5 CA COPYRIGHT 2004 ACS on STN

AN 137:108390 CA

AB A rapid and inexpensive method for extractively isolating acidic lipopeptide antibiotics from a fermentation broth or a culture in high yield and purity is described. The lipopeptide antibiotics, which can be cyclic depsipeptides or cyclic peptides, are extracted by contacting an aqueous solution of the lipopeptide antibiotic and a divalent metal ion with an organic solvent, and then contacting the organic solvent extract of the lipopeptide antibiotic with acid. Alternatively, an acidic lipopeptide antibiotic is partitioned from an aqueous solution into an organic solvent and is then recovered from the organic solvent. For example, laspartomycin (as Na salt) was isolated from fermentation broth using CaCl₂, 1-butanol, and pH adjustment with 1N HCl and 1N NaOH.

L3 ANSWER 3 OF 5 CA COPYRIGHT 2004 ACS on STN

AN 133:318707 CA

AB **Daptomycin** binding proteins (DBPs) are membrane proteins which act as **daptomycin** targets. **Daptomycin** is a cyclic lipopeptide antibiotic which is active against Gram-pos. bacteria and was shown to be the first inhibitor of lipoteichoic acid (LTA) synthesis. It was found that the antibiotic did not penetrate the bacterial cytoplasm but bound membranes with a non-covalent bond and in particular some proteins which were called DBPs. DBPs were indicated as enzymes involved in LTA synthesis whose binding and inhibition by **daptomycin** is responsible for the observed effect on bacterial LTA synthesis. The purification of DBPs will make it possible not only to shed light on the biosynthesis of the cell wall polymer but will also provide innovative targets for selection of new antibacterial compds. In this study, the purification of DBPs is described. Affinity chromatog. was used with **daptomycin** as the ligand. Final elution of DBPs from **daptomycin**-coupled resin was performed using either 0.1% SDS or 3 M NaCl. Polyacrylamide gel electrophoresis of the eluted protein fractions consistently showed four protein bands (ranging from 55 to 66 kDa) in denaturing conditions and two protein bands (60 and 66 kDa) in non-denaturing conditions. Isoelectrofocusing anal. of the same sample consistently revealed two bands with pIs around 5. That these purified proteins were really the desired DBPs is demonstrated by the retention of **daptomycin**-binding capability they displayed.

L3 ANSWER 4 OF 5 CA COPYRIGHT 2004 ACS on STN

AN 118:55106 CA

AB Echinocandin B deacylase is purified. It may be used to deacylate echinocandin B and aculeacin. The enzyme was purified from *Actinoplanes utahensis* by a series of column chromatog. steps. The enzyme was a heterodimer with subunits of 18 and 63 kDa. Its activity is unaffected by cofactors, metal chelators, and sulfhydryl agents.